

Material Safety Data Sheet Product: Crack Check PHF Penetrant (Aerosol)

Dynaflux PHFA 04/25/2013

# Part 1: Product and Company Identification

Identification PHF A Trade Name: Crack Check PHF Penetrant (Aerosol) Product Use: Dye to penetrate cracks in hard surfaces. Manufacturers Name: Dynaflux, Inc. 241 Brown Farm Rd.

Cartersville, GA 30120 U.S.A.

Emergency Telephone Number: For U.S.: 800-255-3924 International: 813-248-0585

#### **Part 2: Hazardous Ingredients**

		SARA III	PEL	TLV	Carcinogen
Hazardous Ingredients	CAS No.	List	PPM	PPM	Refer. Source
Aliphatic Hydrocarbon	64742-47-8	Yes	500	100	Not Listed
Aromatic Hydrocarbon	64741-67-6	Yes	100	100	Not Listed
Xylene	1330-20-7	Yes	100	100	Not Listed
Isobutane / Propane Blend	75-28-5	No	1000	1000	Not Listed
	74-98-6	No	1000	1000	Not Listed

VOC 82.54%

#### Part 3: Hazard Rating

F	1		ſ		1		ı		ς	
	I	•	I	v		•	I	•	5	•

H.M.I.S.		N.F.P.A.	
Health	2	Health	2
Flammability	4	Flammability	4
Reactivity	0	Reactivity	0
Special	-	Personal Protection	b

## Part 4: First Aid Measures

Eye Contact: Flush with water for 15 minutes. Get medical attention. Subcategory 2A. Skin Contact: Wash with soap and water. Category 2 Inhalation: Move to fresh air. Get medical attention. Ingestion: Do not induce vomiting. Give several large glasses of water. Call physician. Category I

## **Part 5: Fire Fighting Measures**

Flashpoint: Flammable-Flame Projection Test U.E.L.: None Established L.E.L. : None Established Auto Ignition Temperature: N.E. Combustion Products: Carbon dioxide, Carbon monoxide Extinguishing Media: Foam, CO2, Dry chemical Unusual Fire and Explosion Hazard: use a self contained breathing apparatus. Use water fog to cool containers to prevent rupturing.

## Part 6: Accidental Release Measures

Small Spill: Soak up with absorbent material, i.e. kitty litter, clay or dirt. Sweep up and place in a labeled closed container. Large Spill: Keep unauthorized people from the area. Use self contained breathing apparatus. Dike area and pump contents to a labeled, closed container. Absorb residue and sweep up. Place in a closed, labeled container. Remove all ignition sources.

## Part 7: Handling and Storage

Leave in the shipping containers. Store in a cool dry place. Do not expose aerosols to temperatures above 120° as the container may rupture.

## Part 8: Exposure Control / Personal Protection

If vapors exceed TLV use an approved respirator. Use mechanical ventilation in confined areas. Wear safety glasses and protective gloves. Remove all ignition sources.

## **Part 9: Physical and Chemical Properties**

Boiling Point: NA Vapor Pressure (psig@70°F)-60psig Vapor Density: N.E. Solubility in Water: Insoluble Appearance and Odor: Red liquid with solvent odor. Specific Gravity: .945 Evaporation Rate (BuAc=1): .08 Water Reactive: No Ph: NA

## Part 10: Stability and Reactivity

Stability- Product is stable Hazardous Polymerization- will not occur. Conditions to Avoid- Ignition sources, open flames, strong oxidizers Hazardous Decomposition Products-Carbon dioxide, Carbon monoxide

#### Part 11: Toxicological Information

Carcinogenicity Classification – NTP Not Listed IARC Not Listed Reproductive Toxicity: Animal Studies- None Ingestion Toxicity- LD50 3160mg/kg Category 5 Mildly irritating to the skin with prolonged exposure. Category 3

#### Part 12: Ecological Information

Biodegradability – Not Biodegradable Keep out of sewers and water ways. Category III Not expected to be harmful to aquatic organism.

#### Part 13: Disposal Consideration

Do not dump into any sewers, on the ground or into any body of water. Send to a permitted recycler.

#### Part 14: Transportation Information

D.O.T. Shipping Name – Pressurized Container Hazard Class- O.R.M.D. IMDG- Same as D.O.T. Marine Pollutant – No Reportable Quantity – 1000 lbs.

# Part 15: Regulatory Information

Section 311 and 312 Immediate health Hazard – Yes Fire Hazard – Yes Reactive Hazard – No TSCA – Listed CEPA-(DSL) Listed

## Part 16: Other Information

Dynaflux, Inc. 241 Brown Farm Rd. Cartersville, GA 30120 U.S.A. Completed by: Eugene Schaffstall

#### Disclaimer of Expressed and implied Warranties:

The information presented in this Material Safety Data Sheet is based on data believed to be accurate as of the date of the Material Safety Data sheet was prepared. No responsibility is assumed for any damage or injury resulting from abnormal use or from any failure to adhere to recommended practices as specified on the label copy.

Page 3 of 3