

Safety Data Sheet Dynaflux WM400A SDS 07/18/2018

Product: Weldmark® Enviro Spat WM 400-16

# Part 1: Product and Company Identification

Identification 400A

Trade Name: Weldmark® Enviro Spat WM 400-16

Product Use: Non-Solvent Anti-Spatter. Manufacturers Name: Dynaflux, Inc.

241 Brown Farm Rd.

Cartersville, GA 30120 U.S.A.

Manufactured for: I.W.D.C., Indianapolis, IN 46219

Emergency Telephone Number: CHEMTEL: For U.S.: 800-255-3924 International: 813-248-0585

#### Part 2: Hazard Identification

Contains No Hazardous Ingredients at or above 1%.



Signal Word: WARNING

H229: Pressurized container: may burst if heated

**Emergency Overview:** 

This material is considered non-hazardous by the OSHA Hazard Communication Standard.

Caution: Contents Under Pressure.

Aerosol: Do not puncture or incinerate. Do not expose to heat or store at temperatures above 120°F.

Primary route(s) of entry. Skin and eye contact. Inhalation.

Eyes: May cause temporary irritation.

Skin: Prolonged skin contact may cause drying and defatting of skin.

Inhalation: May irritate mucosal tissue.

Ingestion: Not a like route of exposure (aerosol). Ingestion may result in nausea, abdominal discomfort or diarrhea.

Potential Chronic Health Effects: None

Carcinogenic Effects:

NTP: No IARC: No OSHA: No ACGIH: No

Mutagenic Effects: None Teratogenic Effects: None Target Organs: None

Medical Conditions Aggravated by Exposure: None

Signs and Conditions: Stinging in eyes. Repeated or prolonged skin contact can cause redness, irritation and scaling if the skin

(dermatitis).

## Part 3: Components / information on ingredients

Contains No Hazardous Ingredients at or above 1%.

#### H.M.I.S.

Health	1
Flammability	0
Reactivity	0
Special	В

#### N.F.P.A.

1
0
0
-

## Part 4: First Aid Measures

Eyes: Flush eyes with cool, clean water (low pressure) for at least 15 minutes. Hold eyelids apart to ensure complete irrigation of the eye and eyelid. If irritation persists seek medical attention. **GHS: Subcategory 2B** 

Skin: Should irritation occur wash affected area with soap and water for 15 minutes. Lauder clothing before reuse. If irritation persists seek medical attention.

Inhalation: No irritation with inhalation should occur. Remove to fresh air. If not breathing give artificial respiration. Seek medical attention.

Ingestion: Ingestion is unlikely. Should ingestion occur, do not induce vomiting unless directed to do so by medical personnel.

Drink a glass of water or milk to dilute. Never give anything by mouth to an unconscious person. Seek medical attention immediately.

## **Part 5: Fire Fighting Measures**

Flashpoint: Nonflammable Flame Projection Test

U.E.L.: None Established
L.E.L.: None Established
Auto Ignition Temperature: NA

Combustion Products: Carbon dioxide, carbon monoxide.

Extinguishing Media: Foam, CO2, Dry chemical

Unusual Fire and Explosion Hazard: Use a self- contained breathing apparatus. Use water fog to cool containers to prevent rupturing of containers. Aerosols may rupture upon heating, spread fire and overcome sprinkler systems.

### **Part 6: Accidental Release Measures**

Small Spill: Soak up with absorbent material, i.e. kitty litter, clay or dirt. Sweep up and place in a labeled closed container. Large Spill: Keep unauthorized people from the area. Dike area and pump contents to a labeled, closed container. Absorb residue and sweep up. Place in a closed, labeled container. Dispose of properly.

### Part 7: Handling and Storage

Leave in the shipping containers. Store in a cool dry place. Do not expose aerosols to temperatures above 120° F or the container may rupture. Store aerosol as Level 1 Aerosol (NFPA 30B).

### Part 8: Exposure Control / Personal Protection

Personal Protection:

Eye: Safety Glasses with side shields conforming to appropriate regulations.

Hand Protection: None required. Use of chemically resistant gloves is recommended.

Respiratory Protection: Use of this product as per label instructions does not require the use of respiratory protection. If airborne concentrations are above the applicable exposure limits use NIOSH approved respiratory protection (organic vapor cartridge).

# **Part 9: Physical and Chemical Properties**

Boiling Point: 212°F (100 C)

Vapor Pressure: (PSIG @ 70°F): 120 psig

Vapor Density (Air=1): .62

Appearance and Odor: Orange with no odor. Specific Gravity: (H2O)=1): 1.00 mmHg

Evaporation Rate (H2O=1): 1

Water Reactive: No

Solubility in water: Miscible

Flash Point: None

Decomposition Temperature: Not Established

VOC content: 3.18%

### Part 9: Physical and Chemical Properties: (Continued):

Auto Ignition Temperature: Not Established

Flammable Limits: Lower: Not Established Upper: Not Established

Partition Coefficient: (Octanol/Water): <1

VOC Content: 3.18% (by weight)

## Part 10: Stability and Reactivity

Stability- Product is stable

Hazardous Polymerization- will not occur.

Avoid extreme heat and freezing.

## **Part 11: Toxicological Information**

An acute toxicity study of this product has not been conducted. Information given in this section relates only to individual constituents contained in this compound.

## **Part 12: Ecological Information**

Mobility: Low volatility. Will Absorb into soil.

Persistence and Degradability: 100% Biodegradable / Inert. Bioaccumulative Potential: no bioaccumulation potential.

Other adverse effects: None

## Part 13: Disposal Consideration

Waste must be disposed of in accordance with national, regional, provincial, state and local environmental control regulations. Do not dump into any sewers, on the ground or into any body of water.

## Part 14: Transportation Information

### **DOT HM-181 Shipping Information**

D.O.T. Shipping Name – Consumer Commodity
Hazard Class or Division: ORM-D (on shipping carton)

UN Number: NA Packing Group: None

Label(s) Required: ORM-D (on shipping carton)

Continued

UN No.: 1950

Class: 2

Shipping Name: Aerosols Subsidiary Risk: 2.2

Labeling: Non-Flammable Gas

Packing Group: NA EMS: F-D, S-U Marine Pollutant: NO Technical Name: NA

## Part 15: Regulatory Information

CERCLA: None

TSCA: All components of this product are TSCA Inventory Listed and/or are exempt.

SARA TITLE III SARA Section 311 and 312 (40 CFR 370) Hazard Categories: Sudden Release of Pressure.

## State Regulations:

California:

This product does not contain chemical(s) known to the State of California to cause cancer, birth defects or reproductive harm.

#### **California Proposition 65**

This product is not known to contain any of the components for which the State of California has found to cause cancer, birth defects or other reproductive harm.

#### Canadian Environmental Protection Act:

All of the components of this product are included on the Canadian Domestic Substances List (DSL).

Canadian Workplace Hazardous Materials Information System: WHMIS

This product has been classified in accordance with the hazard criteria of the controlled products regulations and the MSDS contains all the information required by the controlled products regulations.

WHMIS Classification: Aerosol: Class A, Class D2B

A Compressed Gas

D2 Materials causing other toxic effects.

Montreal Protocol Listed Ingredient: None
Stockholm Convention Listed Ingredient: None
Rotterdam Convention Listed Ingredients: None

**ROHS Compliant: Yes** 

#### Part 16: Other Information

Responsible Name: Gene Schaffstall

Senior Chemist

Telephone: 1-800-334-4420 or (770)-382-8843

#### **Disclaimer of Expressed and implied Warranties:**

The information presented in this Safety Data Sheet is based on data believed to be accurate as of the date of the I Safety Data sheet was prepared. No responsibility is assumed for any damage or injury resulting from abnormal use or from any failure to adhere to recommended practices as specified on the label copy.